

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	US-3932500-\$.DID. OR US-5426221-\$.DID. OR US-5780679-\$.DID. OR US-5780688-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:04
L2	2	("5705688").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 08:04
L3	0	"US-3932500.DID."\$.US	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:04
L4	0	"US-3932500.DID\$. ""\$.US"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:04
L5	508	(562/600).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:17
L6	1032772	column	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:25
L7	3217034	3 or three	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:08
L8	48311	I6 near10 I7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:26
L9	37	I5 and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:26
L10	37407	I6 near5 I7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:27
L11	24	I9 and I10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:35

EAST Search History

L12	13	I9 not I11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 08:35
L13	4205435	section	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:29
L14	118131	I13 near5 I7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:10
L15	1169	I6 near10 I14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:10
L16	1	"I45" and I15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:10
L17	4	I5 and I15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:11
L18	351	((acrylic or methacrylic or "(meth)acrylic") and (column or section) and (three or 3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:20
L19	148	((acrylic or methacrylic or "(meth)acrylic") and (column or section) and (three or 3)).clm.	US-PGPUB	OR	ON	2007/04/25 09:21
L20	2	I5 and I18	US-PGPUB	OR	ON	2007/04/25 09:21
L21	4205435	section or sections	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:26
L22	2422	I14 same I6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:27
L23	5	I5 and I22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:27
L24	361787	partition	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:29

EAST Search History

L25	7936	I7 near5 I24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:30
L26	0	I5 same I25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:30
L27	199	I6 same I25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:30
L29	0	I5 and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/25 09:33
L30	2	("7029556").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:45
L31	2	("6995282").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:48
L32	2	("6281386").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:50
L33	2	("6352619").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:50
L34	2	("5705688").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 09:51
L35	2	("5734075").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 10:06
L36	2	("2005176997").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 10:07
L37	2	("20050176997").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/04/25 10:07

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 JAN 08 CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS 3 JAN 16 CA/Caplus Company Name Thesaurus enhanced and reloaded
NEWS 4 JAN 16 IPC version 2007.01 thesaurus available on STN
NEWS 5 JAN 16 WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS 6 JAN 22 CA/Caplus updated with revised CAS roles
NEWS 7 JAN 22 CA/Caplus enhanced with patent applications from India
NEWS 8 JAN 29 PHAR reloaded with new search and display fields
NEWS 9 JAN 29 CAS Registry Number crossover limit increased to 300,000 in
multiple databases
NEWS 10 FEB 15 PATDPASPC enhanced with Drug Approval numbers
NEWS 11 FEB 15 RUSSIAPAT enhanced with pre-1994 records
NEWS 12 FEB 23 KOREAPAT enhanced with IPC 8 features and functionality
NEWS 13 FEB 26 MEDLINE reloaded with enhancements
NEWS 14 FEB 26 EMBASE enhanced with Clinical Trial Number field
NEWS 15 FEB 26 TOXCENTER enhanced with reloaded MEDLINE
NEWS 16 FEB 26 IFICDB/IFIPAT/IFIUDB reloaded with enhancements
NEWS 17 FEB 26 CAS Registry Number crossover limit increased from 10,000
to 300,000 in multiple databases
NEWS 18 MAR 15 WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS 19 MAR 16 CASREACT coverage extended
NEWS 20 MAR 20 MARPAT now updated daily
NEWS 21 MAR 22 LWPI reloaded
NEWS 22 MAR 30 RDISCLOSURE reloaded with enhancements
NEWS 23 MAR 30 INPADOCDB will replace INPADOC on STN
NEWS 24 APR 02 JICST-EPLUS removed from database clusters and STN

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:55:19 ON 25 APR 2007

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 09:55:40 ON 25 APR 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Apr 2007 VOL 146 ISS 18

FILE LAST UPDATED: 24 Apr 2007 (20070424/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> acrylic or methacrylic

275982 ACRYLIC

1373 ACRYLICS

276370 ACRYLIC

(ACRYLIC OR ACRYLICS)

78215 METHACRYLIC

7 METHACRYLICS

78220 METHACRYLIC

(METHACRYLIC OR METHACRYLICS)

L1 315567 ACRYLIC OR METHACRYLIC

=> column

416141 COLUMN

107249 COLUMNS

L2 468770 COLUMN

(COLUMN OR COLUMNS)

=> 3 or three

6877439 3

1042058 THREE

52 THREES

1042093 THREE

(THREE OR THREES)

SYSTEM LIMITS EXCEEDED - SEARCH ENDED

The search profile you entered was too complex or gave too many answers. Simplify or subdivide the query and try again. If you have exceeded the answer limit, enter DELETE HISTORY at an arrow prompt (= >) to remove all previous answers sets and begin at L1. Use the SAVE command to store any important profiles or answer sets before using DELETE HISTORY.

=> 3 or three

6877439 3

1042058 THREE

52 THREES

1042093 THREE

(THREE OR THREES)

SYSTEM LIMITS EXCEEDED - SEARCH ENDED

The search profile you entered was too complex or gave too many answers. Simplify or subdivide the query and try again. If you have exceeded the answer limit, enter DELETE HISTORY at an arrow prompt (=>) to remove all previous answers sets and begin at L1. Use the SAVE command to store any important profiles or answer sets before using DELETE HISTORY.

=> three

1042058 THREE

52 THREES

L3 1042093 THREE

(THREE OR THREES)

=> sections or partitions

253081 SECTIONS

7319 PARTITIONS

L4 259935 SECTIONS OR PARTITIONS

=> help search terms

HELP FOR 'SEARCH TERMS' IS NOT AVAILABLE

For information about help messages available in all files, enter "HELP MESSAGES". For information about help messages available for the current file, enter "HELP DIRECTORY". For a list of commands, enter "HELP COMMANDS".

=> help messages

Many HELP messages are available to explain files and features of the system. Each command has a separate explanation that can be viewed by entering HELP (or ?) followed by the command name at an arrow prompt (=>). Enter HELP COMMANDS for a list of commands.

Example: => HELP PRINT

Some commands have detailed help for specific functions for that command. At an arrow prompt, enter HELP followed by the command name and the specific option:

HELP DISPLAY (ACC, BROWSE, COST, EXPAND, FORMAT, HISTORY, L#, PRINT, QUERY, SAVED, SCAN, SELECT, SET, TOLERANCE, TSORT, UNIT)

HELP PRINT (ACC, L#, TSORT)

HELP READ (FOLDER, MAIL, NAMELIST, PUBLIC)

HELP SEARCH (PROJECTIONS, RANGE, STEPS, SUBSET)

HELP SET (ABBREVIATION, ACCOUNT, AUHELP, AUTOSEARCH, BANNER, CLUSTER, COST, DCLUSTER, DETAIL, DFORMAT, DUPORDER, EXPAND, FAX, FAXC, FAXN, FIELD, FORMAT, GRAPHICS, HEADING, HIGHLIGHTING, INTERPRET, KWIC, LCOST, LINELENGTH, LOGIN, MAILID, NAMELIST, NOTICE, PADDING, PAGELENGTH, PASSWORD, PATENT, PERMANENT, PLURALS, POSTINGS, PRINT, PROXIMITY, RANGE, RELATION, ROLES, ROUND, SELORDER, SFIELDS, SMARTSELECT, STATUS, STEPS, SUBSET, TERM, TLANGUAGE, TOLERANCE, UNIT)

The logical search operators have HELP messages to explain their functions. At an arrow prompt, enter HELP followed by the operator:

HELP AND
HELP OR
HELP NOT

HELP (W)
HELP (A)
HELP (L)
HELP (P)
HELP (S)

HELP (NOTPROXIMITY)

HELP NUMERIC

For more information on the available operators, enter HELP OPERATORS at an arrow prompt.

Each file has its own set of HELP messages. For a list of files, enter HELP FILE NAMES. For information about helps available for the current file, enter HELP DIRECTORY.

Messages that are available on other topics:

HELP COMMAND STACKING
HELP FILE COST
HELP LIMITS
HELP MAIL
HELP PACKAGES
HELP RESERVED
HELP SAVED NAMES
HELP TRUNCATION

=> help n(W)

HELP FOR 'N(W)' IS NOT AVAILABLE

For information about help messages available in all files, enter "HELP MESSAGES". For information about help messages available for the current file, enter "HELP DIRECTORY". For a list of commands, enter "HELP COMMANDS".

=> help (W)

The (W) operator is used to search for terms that are adjacent to each other in the order specified. The following forms of the (W) operator are available:

Operator	Search Example	Retrieves
(W)	SHALE (W) OIL	Records that contain SHALE OIL
(nW)	AIR (3W) POLLUTION	Records that contain AIR followed by POLLUTION with 0 to 3 intervening terms, e.g., AIR AND WATER POLLUTION
(XW)	GOLD (XW) ALLOY	Records that contain GOLD followed by ALLOY anywhere within the same field or information unit, e.g., GOLD-NICKEL ALLOY
(NOTW)	LIME (NOTW) JUICE	Records that contain an occurrence of LIME not immediately followed by JUICE. Records that contain an occurrence of LIME JUICE, in addition to an occurrence of LIME not immediately followed by JUICE, would be retrieved
(nNOTW)	FIBER (5NOTW) OPTICS	Records that contain an occurrence of FIBER not followed by OPTICS with 0 to 5 intervening terms. Records that contain an occurrence of FIBER followed by OPTICS with 0 to 5 intervening terms, in addition to an occurrence of FIBER not followed

by OPTICS with 0 to 5 intervening terms, would be retrieved

(XNOTW)	AMINO (XNOTW) CHLORO	Records that contain an occurrence of AMINO not followed by CHLORO anywhere within the same field or information unit. Records that contain an occurrence of AMINO followed by CHLORO in the same field or information unit, in addition to an occurrence of AMINO not followed by CHLORO in the same field or information unit, would be retrieved
---------	----------------------	---

n = any number from 0 to 9999

=> Help (A)

The (A) operator is used to search for terms that are adjacent to each other in any order, in the same subfield or information unit, e.g., the same sentence.

The following forms of the (A) operator are available:

Operator	Search Example	Retrieves
(A)	SHALE (A) OIL	Records that contain SHALE OIL or OIL SHALE
(nA)	AIR (3A) POLLUTION	Records that contain AIR preceded or followed by POLLUTION with 0 to 3 intervening terms, e.g., AIR AND WATER POLLUTION
(XA)	GOLD (XA) ALLOY	Records that contain GOLD preceded or followed by ALLOY anywhere within the same subfield or information unit, e.g., GOLD-NICKEL ALLOY. Records that contain an occurrence of GOLD preceded or followed by ALLOY within the same subfield or information unit, in addition to an occurrence of GOLD not preceded or followed by ALLOY in the same subfield or information unit, would be retrieved
(NOTA)	LIME (NOTA) JUICE	Records that contain an occurrence of LIME not immediately preceded or followed by JUICE. Records that contain LIME immediately preceded or followed by JUICE, in addition to an occurrence of LIME not immediately preceded or followed by JUICE, would be retrieved
(nNOTA)	FIBER (5NOTA) OPTICS	Records that contain an occurrence of FIBER not preceded or followed by OPTICS with 0 to 5 intervening terms. Records that contain an occurrence of FIBER

preceded or followed by OPTICS with 0 to 5 intervening terms, in addition to an occurrence of FIBER not preceded or followed by OPTICS with 0 to 5 intervening terms, would be retrieved

(XNOTA) AMINO (XNOTA) CHLORO Records that contain an occurrence of AMINO not preceded or followed by CHLORO anywhere within the same subfield or information unit. Records that contain an occurrence of AMINO preceded or followed by CHLORO in the same subfield or information unit, in addition to an occurrence of AMINO not preceded or followed by CHLORO in the same field or information unit, would be retrieved

n = any number from 0 to 9999

=> d file

'FILE' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ----- HIT RN and its text modification

HITSTR ----- HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):file caplus
'FILE' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'
'CAPLUS' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and

its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field
codes. For a list of the display field codes, enter HELP DFIELDS at
an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST;
TI,IND; TI,SO. You may specify the format fields in any order and the
information will be displayed in the same order as the format
specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR,
FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC
to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):end

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	17.70	17.91

FILE 'CAPLUS' ENTERED AT 10:02:50 ON 25 APR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 25 Apr 2007 VOL 146 ISS 18
FILE LAST UPDATED: 24 Apr 2007 (20070424/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> d his

(FILE 'HOME' ENTERED AT 09:55:19 ON 25 APR 2007)

FILE 'CAPLUS' ENTERED AT 09:55:40 ON 25 APR 2007

L1 315567 ACRYLIC OR METHACRYLIC
L2 468770 COLUMN
L3 1042093 THREE
L4 259935 SECTIONS OR PARTITIONS

FILE 'CAPLUS' ENTERED AT 10:02:50 ON 25 APR 2007

=> l3 (5A) l4
L5 2408 L3 (5A) L4

=> 12 (10A) 15
L6 21 L2 (10A) L5

=> 11 (1)16
L7 0 L1 (L)L6

=> 11 and 16
L8 0 L1 AND L6

=> 12 (5A) 13
L9 2491 L2 (5A) L3

=> 11 (1)19
L10 7 L1 (L)L9

=> d l10 1-7 ti

L10 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Principal component analysis of nonlinear chromatography

L10 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Method for purifying (meth)acrylic acid

L10 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Division S-5-pedology: changes across artificial E-Bh boundaries formed under simulated fluctuating water tables

L10 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Separation of thymidine from mixtures

L10 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Empirical approach to solid-liquid mass transfer in a three-phase sparged reactor

L10 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Improved technique for brackish water deionization by ion exchange

L10 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Column design for adsorbent systems and the effect on mass transfer

=> d l10 2,7ti fbib abs
'7TI' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
CLASS ----- IPC, NCL, ECLA, FTERM
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,

e.g., D SCAN or DISPLAY SCAN)

STD ----- BIB, CLASS

IABS ----- ABS, indented with text labels
 IALL ----- ALL, indented with text labels
 IBIB ----- BIB, indented with text labels
 IMAX ----- MAX, indented with text labels
 ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
 OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
 SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
 HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
 containing hit terms
 HITRN ----- HIT RN and its text modification
 HITSTR ----- HIT RN, its text modification, its CA index name, and
 its structure diagram
 HITSEQ ----- HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 FHITSTR ----- First HIT RN, its text modification, its CA index name, and
 its structure diagram
 FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 KWIC ----- Hit term plus 20 words on either side
 OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
 ENTER DISPLAY FORMAT (BIB):end

=> d l10 2,7 ti fbib abs

L10 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
 TI Method for purifying (meth)acrylic acid
 AN 2003:434509 CAPLUS
 DN 139:7362
 TI Method for purifying (meth)acrylic acid
 IN Yada, Shuhei; Ogawa, Yasushi; Suzuki, Yoshiro; Takasaki, Kenji
 PA Mitsubishi Chemical Corporation, Japan
 SO PCT Int. Appl., 59 pp.
 CODEN: PIXXD2
 DT Patent
 LA Japanese
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003045890	A1	20030605	WO 2002-JP11308	20021030
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
JP 2003137834	A	20030514	JP 2001-332008		20011030
JP 2003160530	A	20030603	JP 2001-360437		20011127
JP 2003171347	A	20030620	JP 2001-368858		20011203
JP 2003170001	A	20030617	JP 2001-373671		20011207
JP 2003206257	A	20030722	JP 2002-3590		20020110
JP 2003321419	A	20031111	JP 2002-131675		20020507
AU 2002344613	A1	20030610	AU 2002-344613		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	W	20021030
US 2004204608	A1	20041014	US 2004-834075		20040429
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
US 2005176997	A1	20050811	US 2005-103617		20050412
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A3	20040429
US 2005176998	A1	20050811	US 2005-103622		20050412
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A3	20040429
US 2006009657	A1	20060112	US 2005-226360		20050915
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A1	20040429

PATENT FAMILY INFORMATION:

FAN 2003:368891

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003137834	A	20030514	JP 2001-332008	20011030
	WO 2003045890	A1	20030605	WO 2002-JP11308	20021030

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT,
LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT,
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG,
US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF,
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
AU 2002344613	A1	20030610	AU 2002-344613		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	W	20021030
CN 1562949	A	20050112	CN 2004-10069864		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1572777	A	20050202	CN 2004-10069863		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1572781	A	20050202	CN 2004-10069865		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2004-10069866		20021030
CN 1572778	A	20050202	JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2004-10069867		20021030
CN 1572779	A	20050202	JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1582268	A	20050216	CN 2002-821954		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127

			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
US 2004204608	A1	20041014	US 2004-834075		20040429
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
US 2005176997	A1	20050811	US 2005-103617		20050412
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A3	20040429
US 2005176998	A1	20050811	US 2005-103622		20050412
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A3	20040429
US 2006009657	A1	20060112	US 2005-226360		20050915
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A1	20040429

FAN 2003:424483

PATENT NO.

KIND

DATE

APPLICATION NO.

DATE

PI

JP 2003160530

A

20030603

JP 2001-360437

20011127

WO 2003045890

A1

20030605

WO 2002-JP11308

20021030

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

JP 2001-332008 A 20011030

JP 2001-360437 A 20011127

JP 2001-368858 A 20011203

JP 2001-373671 A 20011207

JP 2002-3590 A 20020110

JP 2002-131675 A 20020507

AU 2002344613

A1

20030610

AU 2002-344613 20021030

JP 2001-332008 A 20011030

JP 2001-360437 A 20011127

JP 2001-368858 A 20011203

JP 2001-373671 A 20011207

			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	W	20021030
CN 1562949	A	20050112	CN 2004-10069864		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1572777	A	20050202	CN 2004-10069863		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1572781	A	20050202	CN 2004-10069865		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
CN 1572778	A	20050202	CN 2004-10069866		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
CN 1572779	A	20050202	CN 2004-10069867		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			CN 2002-821954	A3	20021030
CN 1582268	A	20050216	CN 2002-821954		20021030
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
US 2004204608	A1	20041014	US 2004-834075		20040429
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
US 2005176997	A1	20050811	US 2005-103617		20050412
			JP 2001-332008	A	20011030
			JP 2001-360437	A	20011127
			JP 2001-368858	A	20011203
			JP 2001-373671	A	20011207
			JP 2002-3590	A	20020110
			JP 2002-131675	A	20020507
			WO 2002-JP11308	A1	20021030
			US 2004-834075	A3	20040429

US 2005176998	A1	20050811	US 2005-103622	20050412
			JP 2001-332008	A 20011030
			JP 2001-360437	A 20011127
			JP 2001-368858	A 20011203
			JP 2001-373671	A 20011207
			JP 2002-3590	A 20020110
			JP 2002-131675	A 20020507
			WO 2002-JP11308	A1 20021030
			US 2004-834075	A3 20040429
US 2006009657	A1	20060112	US 2005-226360	20050915
			JP 2001-332008	A 20011030
			JP 2001-360437	A 20011127
			JP 2001-368858	A 20011203
			JP 2001-373671	A 20011207
			JP 2002-3590	A 20020110
			JP 2002-131675	A 20020507
			WO 2002-JP11308	A1 20021030
			US 2004-834075	A1 20040429

AB A method for purifying a crude (meth)acrylic acid prepared by the vapor phase catalytic oxidation method, characterized in that a crude (meth) acrylic acid being removed of most parts of water and acetic acid is fed to a first distillation column of a purification system comprising three (a first to a third) distillation columns for distillation, the top fraction from the first distillation column is fed to the second distillation column

for distillation, the resulting top fraction is recovered as a high purity (meth)acrylic acid product, the bottom fractions from the first and the second distillation columns are fed to the third distillation column for

distillation, and the resulting top fraction is fed to the first distillation column.

The method can be used for producing a high purity (meth)acrylic acid from a crude (meth)acrylic acid prepared by the vapor phase catalytic oxidation method.

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
TI Column design for adsorbent systems and the effect on mass transfer
AN 1976:423146 CAPLUS
DN 85:23146
TI Column design for adsorbent systems and the effect on mass transfer
AU Dunlop, E. H.; Langley, P. G.
CS Liver Unit, King's Coll. Hosp., London, UK
SO Artif. Liver Support, Proc. Int. Symp. (1975), Meeting Date 1974, 310-18.
Editor(s): Williams, Roger; Murray-Lyon, Iain M. Publisher: Pitman, London, Engl.
CODEN: 32NZAR
DT Conference
LA English
AB Design problems and adsorption kinetics of packed-bed perfusion columns are discussed. The abnormalities were investigated by dye-tracer studies on 4 different designs of hemoperfusion column containing activated charcoal coated with an acrylic copolymer. Three of the columns were cylindrical (diams. 10.2, 4.4, and 2.5 cm) and 1 was double-cone shaped. The mass-transfer coeffs. were measured for the removal of paracetamol from plasma at a flow rate of 150 cm³/min. The results are presented graphically. The diffusion through the boundary layer is the rate-limiting step in the adsorption on charcoal and the effect is not limited to coated charcoal only. Raising mass transfer always results in an increased pressure drop irrespective of design changes. However, for a given pressure drop, a high-velocity column gives the same removal with considerably reduced mass of charcoal.

=> logoff hold
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
19.69	37.60

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE	TOTAL
ENTRY	SESSION
-1.56	-1.56

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 10:08:51 ON 25 APR 2007